

**BUREAU VERITAS**  
Certification



## 'S' Mark Licence

Awarded to

# CHEVRON GLASS PTY LTD

**5 BRANDWOOD STREET, ROYAL PARK, SA 5014 AUSTRALIA**

Bureau Veritas grants the above organization the right to use the Product Certification 'S' Mark as shown below only in respect of the products described and detailed in the Schedule to this Licence and manufactured in accordance with the requirements of the Standard indicated below under an approved Quality Management System. The Licence is granted subject to the 'Bureau Veritas Conditions of Service' and the 'Rules governing the use of Product Certification Licences'.

### STANDARD

## AS 4666:2012

Insulating glass units

**Licence No: 2907**

**Date Granted: 24 March 2020**

**Expiry Date: 23 March 2025**

Signed on behalf of Bureau Veritas

Sam Guindi  
Product Certification Manager



This Licence and its associated Schedule remain the property of Bureau Veritas and must be returned if certification is terminated. The constant compliance with the certification requirements is confirmed by regular surveillance measures from Bureau Veritas. In the case of serious non-compliance the certification will be withdrawn and deleted from the Register.

To check the validity of this certificate please contact: **Bureau Veritas Australia Pty Ltd**  
Issuing office: Bureau Veritas Pty Ltd, 3/435 Williamstown Road, Port Melbourne, Victoria, 3207



## SCHEDULE TO PRODUCT CERTIFICATION LICENCE NO: 2907

### LICENCE DETAILS

**Scheme:** 'S' Mark Product Certification

**Licensee:** CHEVRON GLASS PTY LTD

**Address:** 5 BRANDWOOD STREET, ROYAL PARK, SA 5014 AUSTRALIA



### CONFORMANCE REQUIREMENTS

**Standard:** AS 4666:2012 Insulating glass units

**Quality System:** Product Certification Quality System Requirements (QSR)

### CERTIFIED MODEL OR TYPE

Insulating glass units

Model	Spacer Bar Width	Spacer Bar Type	Air/Gas Fill	Desiccant	Primary seal	Secondary Seal
Forel	5.5mm-26.5mm	Painted aluminium double-glazing profile	Air	Loose Fill, Glasmol Molecular sieve 0.5mm to .09mm	HB Fuller PIB-969 (Polyisobutylene)	Dow Corning 982 Silicone
Forel	5.5mm-26.5mm	Painted aluminium double-glazing profile	Argon	Loose Fill, Glasmol Molecular sieve 0.5mm to .09mm	HB Fuller PIB-969 (Polyisobutylene)	Dow Corning 982 Silicone
Forel	6mm-27mm	Aluminium	Air	Loose Fill	PIB	Silicone
Forel	6mm-27mm	Aluminium	Argon	Loose Fill	PIB	Silicone

Revision Date: 24 March 2020

